


Art.-Nr. 1086871


D	L	Z	Pers sok Press coupling
15	48	8	
18	48	8	
22	50	8	
28	54	8	
35	62	10	
42	71	11	
54	83	13	
76.1	141	35	
88.9	162	42	
108	194	44	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


D	L	em	Pers overschuif sok Press slip coupling
15	67	25	
18	68	25	
22	73	25	
28	83	30	
35	98	30	
42	115	40	
54	138	40	
76.1	229	60	
88.9	263	70	
108	313	80	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 1084941


D	D1	H	Z	Pers verloop (pers x insteek) Press reducer (press x insert)
18	15	60	40	
22	15	63	43	
22	18	62	42	
28	15	66	46	
28	18	64	44	
28	22	62	41	
35	18	77	57	
35	22	71	50	
35	28	78	55	
42	18	82	62	
42	22	94	73	
42	28	83	60	
42	35	77	51	
54	18	94	73	
54	22	95	74	
54	28	100	77	
54	35	99	73	
54	42	92	62	
76.1	54	146	111	
88.9	54	163	128	
88.9	76.1	161	108	
108	54	163	128	
108	76.1	184	131	
108	88.9	203	143	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	L	Z	Pers bocht 90 graden (pers x pers) Press elbow 90 degrees (press x press)
15	49	29	
18	53	33	
22	61	40	
28	72	49	
35	86	60	
42	112	82	
54	138	103	
76.1	184	131	
88.9	210	150	
108	241	166	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	L	H	Z	Pers bocht 90 graden (pers x insteek) Press elbow 90 degrees (press x insert)
15	49	57	29	
18	53	61	33	
22	61	70	40	
28	72	79	49	
35	86	91	60	
42	112	127	82	
54	138	153	103	
76.1	175	188	122	
88.9	208	223	148	
108	243	262	168	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	L	L1	Pers bocht 90 graden (insteek x insteek) Press elbow 90 degrees (insert x insert)
15	68	118	
18	70	120	
22	70	120	
28	80	120	
35	120	200	
42	150	150	
54	200	200	
76.1	250	250	
88.9	291	291	
108	364	364	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 576541


D	L	Z	Pers bocht 45 graden (pers x pers) Press elbow 45 degrees (press x press)
15	35	15	
18	37	17	
22	42	21	
28	48	25	
35	54	28	
42	67	37	
54	81	46	
76.1	112	59	
88.9	127	67	
108	155	80	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


D	L	H	Z	Pers bocht 45 graden (pers x insteek) Press elbow 45 degrees (press x insert)
15	35	40	15	
18	37	42	17	
22	42	52	21	
28	48	56	25	
35	54	69	28	
42	67	72	37	
54	81	96	46	
76.1	119	115	66	
88.9	143	130	83	
108	162	172	87	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 599541

D	L	Pers eindkap Press end cap
15	34	
18	35	
22	39	
28	48	
35	51	
42	59	
54	67	
76.1	94	
88.9	103	
108	124	


Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 599541

Pers overgangsfleks PN 16 pers x flens
Press flange coupling PN 16 press x flange



D1	D	K	B	H	Z	D2	N
15	95	65	11	43	23	14	4
18	95	65	11	43	23	14	4
22	105	75	12	47	26	14	4
28	115	85	14	54	31	14	4
35	140	100	15	62	36	18	4
42	150	110	16	70	40	18	4
54	165	125	18	84	49	18	4
76.1	185	145	18	129	76	18	4
88.9	200	160	20	148	88	18	8
108	220	180	20	173	98	18	8

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	L	L1	L2	Z1	Pers T-stuk Press Tee
15	66	33	39	13	
18	68	34	41	14	
22	74	37	44	16	
28	84	42	53	19	
35	100	53	57	27	
42	114	57	62	27	
54	138	69	77	34	
76.1	230	115	110	62	
88.9	260	130	128	70	
108	310	150	153	75	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 1084941

D - D1 - D	L	L1	L2	Z1	Pers reduceer T-stuk Press reducing Tee coupling
18-15-18	68	34	40	14	
22-15-22	74	37	43	16	
22-18-22	74	37	43	16	
28-15-28	84	42	46	19	
28-18-28	84	42	46	19	
28-22-28	84	42	47	19	
35-15-35	100	50	49	24	
35-18-35	100	50	49	24	
35-22-35	100	50	50	24	
35-28-35	100	50	53	24	
42-15-42	114	57	51	27	
42-18-42	114	57	53	27	
42-22-42	114	57	54	27	
42-28-42	114	57	57	27	
42-35-42	114	57	61	27	
54-15-54	138	69	57	34	
54-18-54	138	69	59	34	
54-22-54	138	69	60	34	
54-28-54	138	69	63	34	
54-35-54	138	69	67	34	
54-42-54	138	69	71	34	
76.1-22.0-76.1	230	115	70	62	
76.1-28.0-76.1	230	115	75	62	
76.1-35.0-76.1	230	115	77	62	
76.1-42.0-76.1	230	115	82	62	
76.1-54.0-76.1	230	115	88	62	
88.9-22.0-88.9	260	130	76	70	
88.9-28.0-88.9	260	130	81	70	
88.9-35.0-88.9	260	130	83	70	
88.9-42.0-88.9	260	130	87	70	
88.9-54.0-88.9	260	130	93	70	
88.9-76.1-88.9	260	130	118	70	
108-22-108	310	152	86	77	
108-28-108	310	155	93	80	
108-35-108	310	155	93	80	
108-42-108	310	155	97	80	
108-54-108	310	155	105	80	
108-76.1-108	310	155	131	80	
108-88.9-108	310	155	141	80	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingsen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 1084941

D - RP - D	L	L1	L2	Z1	Pers T-stuk met BSP inwendig Press Tee with BSP female
15-Rp1/2-15	66	33	40	13	
18-Rp1/2-18	68	34	42	14	
18-Rp3/4-18	68	34	44	14	
22-Rp1/2-22	74	37	44	16	
22-Rp3/4-22	74	37	44	16	
28-Rp1/2-28	84	42	49	19	
28-Rp3/4-28	84	42	49	19	
28-Rp1-28	84	42	53	19	
35-Rp1/2-35	100	50	53	24	
35-Rp3/4-35	100	50	53	24	
35-Rp1 1/4-35	100	50	58	24	
42-Rp1/2-42	114	57	56	27	
42-Rp3/4-42	114	57	56	27	
42-Rp1 1/2-42	114	57	61	27	
54-Rp1/2-54	138	69	62	34	
54-Rp3/4-54	138	69	62	34	
54-Rp2-54	138	69	79	34	
76.1-Rp3/4-76.1	230	115	72	62	
76.1-Rp2-76.1	230	115	89	62	
88.9-Rp3/4-88.9	260	130	78	70	
88.9-Rp2-88.9	260	130	96	70	
108-Rp3/4-108	310	155	88	80	
108-Rp2-108	310	155	105	80	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittings voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


D - RP - D	L	L1	L2	Z1	Pers T-stuk met BSP uitwendig Press tee with BSP male
15-R 1/2-15	66	33	38	13	
18-R 1/2-18	68	34	39	14	
22-R 3/4 -22	74	37	45	16	
22-R 1-22	74	37	48	16	
28-R 1-28	84	42	51	19	
35-R 3/4-35	100	50	51	35	
35-R 1 1/4-35	100	50	56	24	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittings voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


D	R	L	H	Z	Pers bocht 90 graden pers x BSP buiten Press elbow 90 degrees press x BSP male
15	1/2"	55	37	35	
18	1/2"	57	39	37	
22	3/4"	61	46	39	
28	1"	68	54	45	
35	1-1/4"	76	63	50	
42	1-1/2"	84	67	53	
54	2"	94	78	59	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


D	Rp	L	H	Z	Pers bocht 90 graden pers x BSP binnen Press elbow 90 degrees press x BSP female
15	1/2"	55	37	35	
18	1/2"	57	39	37	
22	3/4"	61	46	39	
28	1"	68	54	45	
35	1-1/4"	76	63	50	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	Rp	H	Z	Pers koppeling pers x BSP binnen Press coupling press x BSP female
15	1/2"	70	50	
15	3/4"	72	52	
18	1/2"	72	52	
18	3/4"	76	56	
22	3/4"	81	60	
22	1"	82	61	
28	1"	88	65	
35	1-1/4"	94	68	
42	1-1/2"	99	69	
54	2"	108	73	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	Rp	H	Z	Pers koppeling pers x BSP buiten Press coupling press x BSP male
15	1/2"	70	50	
15	3/4"	74	54	
18	1/2"	74	54	
18	3/4"	74	54	
22	1/2"	76	55	
22	3/4"	82	61	
22	1"	86	65	
28	1"	93	70	
35	1-1/4"	102	76	
42	1-1/2"	107	77	
54	2"	118	83	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittings voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	R	L	Z	Pers koppelstuk pers x BSP buiten Press adaptor press x BSP male
15	1/2"	55	35	
15	3/4"	57	37	
18	1/2"	55	35	
18	3/4"	59	39	
22	1/2"	56	35	
22	3/4"	60	39	
22	1"	63	42	
28	3/4"	66	43	
28	1"	68	45	
28	1-1/4"	70	47	
35	1"	69	43	
35	1-1/4"	70	44	
35	1-1/2"	70	44	
42	1-1/4"	76	46	
42	1-1/2"	76	46	
54	1-1/2"	84	49	
54	2"	90	55	
76.1	2-1/2"	115	62	
88.9	3"	130	70	
108	4"	157	82	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittings voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	Rp	L	Z	Pers koppelstuk pers x BSP binnen Press adaptor press x BSP female
15	1/2"	55	20	
15	3/4"	57	21	
18	1/2"	59	24	
18	3/4"	62	26	
22	1/2"	60	24	
22	3/4"	62	25	
22	1"	66	26	
28	3/4"	65	26	
28	1"	70	28	
28	1-1/4"	70	26	
35	1"	65	20	
35	1-1/4"	72	25	
35	1-1/2"	72	25	
42	1-1/4"	71	17	
42	1-1/2"	77	23	
54	1-1/2"	77	21	
54	2"	95	34	
76.1	2-1/2"	116	38	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541


Pers bocht 90 graden met muurplaat pers x BSP binnen Press elbow 90 degrees with wall plate connection press x BSP female							
D	Rp	L1	L2	L3	L4	Z1	Z2
15	1/2"	50	30	43	13	30	15
18	1/2"	50	30	43	13	30	15
22	3/4"	55	34	51	17	34	16

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	L	L2	L3	Pers sprongbocht - passeerbocht Press pipe bridge
15	57	158	37	
18	60	165	40	
22	65	178	44	
28	74	210	50	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534

Art.-Nr. 564541

D	EPDM / Viton O-ring
15	EPDM / Viton O-ring
18	
22	
28	
35	
42	
54	
76.1	
88.9	
108	

Alle maten in mm - All sizes in mm

Leverbaar in EPDM & Viton - Available in EPDM & Viton

Persfittingen voor o.a. drinkwaterinstallaties volgens DVGW W534 - Press fittings for e.g. drinking water installations according to DVGW W534