



Art.-Nr. 1084940

INCH	NW	C	L	SW	Camlock snelkoppeling type A Camlock quick coupling type A
1/2"	15	21,2	38,0	33,0	
3/4"	20	21,2	38,0	33,0	
1"	25	23,8	46,5	41,0	
1-1/4"	32	28,6	55,0	48,0	
1-1/2"	40	36,0	58,5	56,0	
2"	50	45,5	62,3	67,5	
2-1/2"	65	56,4	68,0	83,0	
3"	80	73,5	70,0	96,5	
4"	100	100,0	76,0	124,0	
6"	150	147,0	74,6	182,0	


Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	K	D	L2	L	Camlock snelkoppeling type B Camlock quick coupling type B
1/2"	15	57,0	15,0	30,0	48,0	
3/4"	20	57,0	21,2	30,0	48,0	
1"	25	65,6	25,0	39,0	61,0	
1-1/4"	32	77,0	28,0	46,0	68,0	
1-1/2"	40	85,0	39,0	48,0	70,5	
2"	50	96,0	50,0	53,0	78,7	
2-1/2"	65	110,4	58,0	58,0	86,0	
3"	80	133,0	73,2	58,0	89,0	
4"	100	166,0	97,0	63,0	97,0	
5"	125	189,0	127,0	57,3	95,3	
6"	150	230,5	153,8	64,5	110,2	

Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	K	C	L2	L	Camlock snelkoppeling type C Camlock quick coupling type C
1/2"	15	48,2	7,9	31,2	72,4	
3/4"	20	57,0	13,6	30,0	80,0	
1"	25	65,5	20,0	39,0	99,0	
1-1/4"	32	77,0	25,8	46,0	110,0	
1-1/2"	40	85,0	31,3	48,0	114,0	
2"	50	96,0	43,8	53,0	129,0	
2-1/2"	65	110,4	55,7	58,0	151,0	
3"	80	133,0	68,0	58,0	160,0	
4"	100	166,0	92,0	63,0	176,0	
6"	150	213,0	144,1	64,4	210,0	

Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	K	RP	L2	L	Camlock snelkoppeling type D Camlock quick coupling type D
1/2"	15	57,0	17,0	30,0	46,0	
3/4"	20	57,0	20,0	30,0	50,0	
1"	25	65,6	26,0	39,0	60,0	
1-1/4"	32	77,0	34,5	46,0	66,0	
1-1/2"	40	85,0	40,0	48,0	70,5	
2"	50	96,0	50,0	53,0	76,0	
2-1/2"	65	110,4	61,0	58,0	82,0	
3"	80	133,0	75,0	58,0	86,0	
4"	100	166,0	100,0	63,0	92,0	
6"	150	255,0	145,0	80,0	117,0	

Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	C	A	L2	L	Camlock snelkoppeling type E Camlock quick coupling type E
1/2"	15	24,3	8,0	34,7	76,2	
3/4"	20	32,0	35,0	37,0	87,0	
1"	25	36,7	38,0	44,0	104,0	
1-1/4"	32	45,5	48,0	51,0	115,0	
1-1/2"	40	53,4	55,0	52,0	118,0	
2"	50	63,0	65,0	56,0	132,0	
2-1/2"	65	75,7	80,0	64,0	156,0	
3"	80	91,5	94,0	66,0	169,0	
4"	100	119,5	122,0	68,0	180,0	
5"	125	145,1	115,6	66,7	208,0	
6"	150	176,0	142,0	78,0	224,0	


Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	C	L2	L	SW	Camlock snelkoppeling type F Camlock quick coupling type F
1/2"	15	21,2	28,0	56,0	33,0	
3/4"	20	21,2	28,0	56,0	33,0	
1"	25	23,8	33,5	69,0	41,0	
1-1/4"	32	28,6	40,0	77,0	48,0	
1-1/2"	40	36,0	42,5	80,0	56,0	
2"	50	45,5	47,5	89,0	65,0	
2-1/2"	65	56,4	50,0	98,0	82,5	
3"	80	73,2	51,0	101,0	95,8	
4"	100	100,0	53,0	114,0	124,0	
5"	125	123,2	54,9	142,9	146,0	
6"	150	149,0	83,0	127,0	196,0	


Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	L2	L	Camlock snelkoppeling type DP Camlock quick coupling type DP
1/2"	15	26,3	36,0	
3/4"	20	25,0	35,0	
1"	25	30,5	44,5	
1-1/4"	32	37,7	52,7	
1-1/2"	40	38,7	53,7	
2"	50	42,8	57,8	
2-1/2"	65	46,0	71,0	
3"	80	46,0	72,0	
4"	100	50,0	76,0	
5"	125	58,2	86,0	
6"	150	55,4	72,0	

Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316

Art.-Nr. 1084940

INCH	NW	K	L2	L	Camlock snelkoppeling type DC Camlock quick coupling type DC
1/2"	15	48,0	30,4	40,1	
3/4"	20	57,0	30,0	40,0	
1"	25	65,6	39,0	53,0	
1-1/4"	32	77,0	46,0	61,0	
1-1/2"	40	85,0	48,0	64,0	
2"	50	96,0	53,0	68,0	
2-1/2"	65	110,4	58,0	82,0	
3"	80	133,0	58,0	83,0	
4"	100	166,0	63,0	93,0	
6"	150	255,0	68,0	98,7	

Camlock snelkoppelingen volgens A-A 59326 25.09.98 (MIL-C-27487) Leverbaar in 316
Camlock quick couplings according to A-A 59326 25.09.98 (MIL-C-27487) Available in 316