


Art.-Nr. 1085645564


DN	A	B	C	E	Lasdraadstuk - DIN 11851 Welding male part - DIN 11851
10	21	10	13	28x1/8"	
15	21	16	19	34x1/8"	
20	24	20	23	44x1/6"	
25	29	26	29	52x1/6"	
32	32	32	35	58x1/6"	
40	33	38	41	65x1/6"	
50	35	50	53	78x1/6"	
65	40	66	70	95x1/6"	
80	45	81	85	110x1/4"	
100	54	100	104	130x1/4"	
125	46	125	129	160x1/4"	
150	50	150	154	190x1/4"	
200	50	200	213	240x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 105646450


DN	A	B	C	E	Lasdraadstuk kort - DIN 11851 Welding male part short - DIN 11851
10	17	10	13	28x1/8"	
15	17	16	19	34x1/8"	
20	19	20	23	44x1/6"	
25	22	26	29	52x1/6"	
32	22	32	35	58x1/6"	
40	22	38	41	65x1/6"	
50	23	50	53	78x1/6"	
65	25	66	70	95x1/6"	
80	25	81	85	110x1/4"	
100	30	100	104	130x1/4"	
125	35,5	125	129	160x1/4"	
150	40	150	154	190x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 465346

INCH	A	B	C	E	Lasdraadstuk INCH - DIN 11851 Welding male part INCH - DIN 11851
1"	29	22,9	25,4	52x1/6"	
1¼"	32	29,3	31,8	58x1/6"	
1½"	33	35,1	38,1	65x1/6"	
2"	35	47,8	50,8	78x1/6"	
2½"	40	60,5	63,5	95x1/6"	
3"- DN75	42	73,1	76,2	104x1/6"	
3"- DN80	45	73,1	76,2	110x1/4"	
4"	54	97,6	101,6	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 10543553

DN / ISO	A	B	C	E	Lasdraadstuk ISO - DIN 11851 Welding male part ISO - DIN 11851
10	21	14,0	17,2	28x1/8"	
15	21	18,1	21,3	34x1/8"	
20	24	23,7	26,9	44x1/6"	
25	29	29,7	33,7	52x1/6"	
32	32	38,4	42,4	58x1/6"	
40	33	44,3	48,3	65x1/6"	
50	35	56,3	60,3	78x1/6"	
65	40	71,5	76,1	95x1/6"	
80	45	84,3	88,9	110x1/4"	
100	54	109,1	114,3	130x1/4"	
125	46	134,5	139,7	160x1/4"	
150	50	163,1	168,3	190x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1088768

DN	A	B	C	E	Laspuntstuk - DIN 11851 Welding liner - DIN 11851
10	17	10	13	22,5	
15	17	16	19	28,5	
20	18	20	23	36,5	
25	22	26	29	44,0	
32	25	32	35	50,0	
40	26	38	41	56,0	
50	28	50	53	68,5	
65	32	66	70	86,0	
80	37	81	85	100,0	
100	44	100	104	121,0	
125	34	125	129	150,0	
150	37	150	154	176,0	
200	39	200	213	226,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 108677


DN	A	B	C	E	Laspuntstuk kort - DIN 11851 Welding liner short - DIN 11851
10	14	10	13	22,5	
15	14	16	19	28,5	
20	14	20	23	36,5	
25	16	26	29	44,0	
32	16	32	35	50,0	
40	16	38	41	56,0	
50	17	50	53	68,5	
65	18	66	70	86,0	
80	18	81	85	100,0	
100	21	100	104	121,0	
125	24	125	129	150,0	
150	27	150	154	176,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084940


INCH	A	B	C	E	Laspuntstuk INCH - DIN 11851 Welding liner INCH - DIN 11851
1"	22	22,9	25,4	50,0	
1¼"	25	28,5	31,8	56,0	
1½"	26	35,1	38,1	56,0	
2"	28	47,8	50,8	68,5	
2½"	32	60,2	63,5	86,0	
3"- DN75	32	73,1	76,1	93,0	
3"- DN80	37	73,1	76,1	100,0	
4"	44	97,4	101,6	121,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1043540


DN	A	B	C	E	Laspuntstuk ISO - DIN 11851 Welding liner ISO - DIN 11851
10	17	14,2	17,2	22,5	
15	17	18,1	21,3	28,5	
20	18	23,7	26,9	36,5	
25	22	29,7	33,7	44,0	
32	25	38,4	42,4	50,0	
40	26	44,3	48,3	56,0	
50	28	56,3	60,3	68,5	
65	32	71,5	76,1	86,0	
80	37	84,1	88,9	100,0	
100	44	109,1	114,3	121,0	
125	34	134,5	139,7	150,0	
150	37	163,1	168,3	176,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 108435341


DN	A	B	C	D	E	Wartelmoer - DIN 11851 Nut - DIN 11851
10	18	3	38	19	28x1/8"	
15	18	3	44	25	34x1/8"	
20	20	3	54	31	44x1/6"	
25	21	3	63	36	52x1/6"	
32	21	3	70	42	58x1/6"	
40	21	3	78	49	65x1/6"	
50	22	3	92	62	78x1/6"	
65	25	4	112	80	95x1/6"	
3" - DN 75	26	4	119	88	104x1/6"	
80	29	4	127	94	110x1/4"	
100	31	5	148	115	130x1/4"	
125	35	5	178	138	160x1/4"	
150	40	6	210	164	190x1/4"	
200	44	6	260	214	240x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 108534453


DN	A	B	C	Dichting - DIN 11851 Gasket - DIN 11851
10	4,5	12	20	
15	4,5	18	26	
20	4,5	23	33	
25 (1")	5,0	30	40	
32 (1-1/4")	5,0	36	46	
40 (1-1/2")	5,0	42	52	
50 (2")	5,0	54	64	
65 (2-1/2")	5,0	71	81	
75 (3")	5,0	78	88	
80	5,0	85	95	
100 (4")	6,0	104	114	
125	7,0	130	142	
150	7,0	155	167	
200	7,0	204	216	

Alle maten in mm - All sizes in mm

Leverbaar in Perbunan (NBR), EPDM, viton, silicone & teflon / PTFE - Available in Perbunan (NBR), EPDM, viton, silicone & teflon / PTFE

Andere dichting kwaliteiten en afmetingen op aanvraag - Other gasket grades and sizes on request

Art.-Nr. 1084941

DN	A	B	C	Dichting met bund - DIN 11851 Gasket with collar - DIN 11851
10	5,0	10,5	20	
15	5,0	16,5	26	
20	5,0	20,5	33	
25 (1")	6,0	26,5	40	
32 (1-1/4")	6,0	32,5	46	
40 (1-1/2")	6,0	38,5	52	
50 (2")	6,0	50,5	64	
65 (2-1/2")	6,0	66,5	81	
80	6,0	81,5	95	
100 (4")	6,0	100,5	114	
125	7,0	125,0	142	
150	7,0	150,0	167	

Alle maten in mm - All sizes in mm

Leverbaar in Perbunan (NBR), EPDM, viton, silicone & teflon / PTFE - Available in Perbunan (NBR), EPDM, viton, silicone & teflon / PTFE

Andere dichting kwaliteiten en afmetingen op aanvraag - Other gasket grades and sizes on request

Art.-Nr. 1054334541

DN	A	B	C	D	E	Walsdraadstuk - DIN 11851 Expanding male part - DIN 11851
10	21	12	4	12,2	28x1/8"	
15	21	12	4	18,2	34x1/8"	
20	24	12	6	22,2	44x1/6"	
25	29	15	7	28,2	52x1/6"	
32	32	18	7	34,2	58x1/6"	
40	33	20	7	40,2	65x1/6"	
50	35	22	7	52,2	78x1/6"	
65	40	25	8	70,3	95x1/6"	
80	45	28	8	85,3	110x1/4"	
100	54	35	10	104,3	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 10345341

DN	A	B	C	D	E	Walsdraadstuk INCH - DIN 11851 Expanding male part INCH - DIN 11851
1"	29	15	7	25,6	52x1/6"	
1 1/4"	32	18	7	32,0	58x1/6"	
1 1/2"	33	20	7	38,3	65x1/6"	
2"	35	22	7	51,0	78x1/6"	
2 1/2"	40	25	8	63,8	95x1/6"	
3"- DN75	42	25	8	76,4	104x1/6"	
3"- DN80	45	28	8	76,4	110x1/4"	
4"	54	35	10	101,9	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 104543542


DN	A	B	C	D	E	Walspuntstuk - DIN 11851 Expanding liner - DIN 11851
10	17	12	6	12,2	22,5	
15	17	12	6	18,2	28,5	
20	18	12	8	22,2	36,5	
25	22	15	10	28,2	44	
32	25	18	10	34,2	50	
40	26	20	10	40,2	56	
50	28	22	11	52,2	68,5	
65	32	25	12	70,3	86	
80	37	28	12	85,3	100	
100	44	35	15	104,3	121	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 10353442


DN	A	B	C	D	E	Walspuntstuk INCH - DIN 11851 Expanding liner INCH - DIN 11851
1"	22	15	10	25,6	44	
1¼"	25	18	10	32	50	
1½"	26	20	10	38,3	56	
2"	28	22	11	51	68	
2½"	32	25	12	63,8	86	
3"- DN75	32	25	12	76,4	93	
3"- DN80	37	28	12	76,4	100	
4"	44	35	15	101,9	121	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1083534


DN	A	B	C	E	Blindwartel glad - DIN 11851 Blind nut - DIN 11851
10	18	3	38	28x1/8"	
15	18	3	44	34x1/8"	
20	20	3	54	44x1/6"	
25	21	3	63	52x1/6"	
32	21	3	70	58x1/6"	
40	21	3	78	65x1/6"	
50	22	3	92	78x1/6"	
65	25	4	112	95x1/6"	
3" - DN 75	26	4	119	104x1/6"	
80	29	4	127	110x1/4"	
100	31	5	148	130x1/4"	
125	35	5	178	160x1/4"	
150	40	6	210	190x1/4"	
200	44	6	260	240x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 108661


DN	A	B	C	D	E	Blindwartel met knop - DIN 11851 Blind nut with boss - DIN 11851
10	18	3	38	10	28x1/8"	
15	18	3	44	10	34x1/8"	
20	20	3	54	10	44x1/6"	
25	21	3	63	10	52x1/6"	
32	21	3	70	10	58x1/6"	
40	21	3	78	10	65x1/6"	
50	22	3	92	10	78x1/6"	
65	25	4	112	10	95x1/6"	
3" - DN 75	26	4	119	10	104x1/6"	
80	29	4	127	10	110x1/4"	
100	31	5	148	10	130x1/4"	
125	35	5	178	10	160x1/4"	
150	40	6	210	10	190x1/4"	
200	44	6	260	10	240x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1554941


DN	A	B	C	D	E	Blindwartel compleet - DIN 11851 Blind nut complete - DIN 11851
10	18	3	38	10	28x1/8"	
15	18	3	44	10	34x1/8"	
20	20	3	54	10	44x1/6"	
25	21	3	63	10	52x1/6"	
32	21	3	70	10	58x1/6"	
40	21	3	78	10	65x1/6"	
50	22	3	92	10	78x1/6"	
65	25	4	112	10	95x1/6"	
3" - DN 75	26	4	119	10	104x1/6"	
80	29	4	127	10	110x1/4"	
100	31	5	148	10	130x1/4"	
125	35	5	178	10	160x1/4"	
150	40	6	210	10	190x1/4"	
200	44	6	260	10	240x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084940


DN	A	B	Blindwartel dichtplaat - DIN 11851 Gasket disc for blind nut - DIN 11851
10	3	28	
15	3	34	
20	3	44	
25 (1")	3	52	
32 (1-1/4")	3	58	
40 (1-1/2")	3	65	
50 (2")	3	78	
65 (2-1/2")	3	95	
75 (3")	3	104	
80	3	110	
100 (4")	3	130	
125	3	160	
150	3	190	
200	3	240	

Alle maten in mm - All sizes in mm

Leverbaar in Perbunan (NBR), EPDM, viton, silicone & teflon

Andere dichting kwaliteiten en afmetingen op aanvraag - Other gasket grades and sizes on request

Art.-Nr. 107440


DN	A	B	C	D	Blindpuntstuk - DIN 11851 Blank liner - DIN 11851
10	9	6	18	22,5	
15	9	6	24	28,5	
20	11	8	30	36,5	
25	13	10	35	44	
32	13	10	41	50	
40	13	10	48	56	
50	14	11	61	68,5	
65	16	12	79	86	
80	16	12	93	100	
100	20	15	114	121	
125	22	17	137	150	
150	24	18	163	176	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084940

DN	A	C	D	E	Blinddraadstuk - DIN 11851 Male part blank - DIN 11851
10	22	20	SW17	28x1/8"	
15	22	26	SW19	34x1/8"	
20	24	26	SW19	44x1/6"	
25	24	34	SW27	52x1/6"	
32	24	34	SW27	58x1/6"	
40	24	34	SW27	65x1/6"	
50	24	34	SW27	78x1/6"	
65	28	34	SW27	95x1/6"	
80	30	34	SW27	110x1/4"	
100	30	34	SW27	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)


Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

RODESTA B.V.

Tel.: +31 (0)35-60 30 444 | Fax.: +31 (0)35-60 30 999 | www.rodesta.nl | sales@rodesta.nl

Kvk nr.: 31046060 | BTW nr.: NL804985546B01

Art.-Nr. 1046545


DN	A	C	D	E	Reduceer lasdraadstuk - DIN 11851 Welding reducing male part - DIN 11851
20 - 15	24	16	20	44x1/6"	
25 - 15	29	16	26	52x1/6"	
25 - 20	29	20	26	52x1/6"	
32 - 20	27	20	32	58x1/6"	
32 - 25	27	26	32	58x1/6"	
40 - 25	28	26	38	65x1/6"	
40 - 32	29	32	38	65x1/6"	
50 - 25	26	26	50	78x1/6"	
50 - 32	29	32	50	78x1/6"	
50 - 40	35	38	50	78x1/6"	
65 - 32	39	32	66	95x1/6"	
65 - 40	39	38	66	95x1/6"	
65 - 50	40	50	66	95x1/6"	
80 - 40	43	38	81	110x1/4"	
80 - 50	45	50	81	110x1/4"	
80 - 65	46	66	81	110x1/4"	
100 - 50	55	50	100	130x1/4"	
100 - 65	49	66	100	130x1/4"	
100 - 80	49	81	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084940


DN	A	B	C	D	E	Reduceer laspuntstuk - DIN 11851 Welding reducing liner - DIN 11851
20 - 15	17	20	8	16	36,5	
25 - 15	22	26	10	16	44,0	
25 - 20	22	26	10	20	44,0	
32 - 20	23	32	10	20	50,0	
32 - 25	20	32	10	26	50,0	
40 - 25	20	38	10	26	56,0	
40 - 32	23	38	10	32	56,0	
50 - 25	28	50	11	26	68,5	
50 - 32	23	50	11	32	68,5	
50 - 40	26	50	11	38	68,5	
65 - 32	32	66	12	32	86,5	
65 - 40	26	66	12	38	86,0	
65 - 50	27	66	12	50	86,0	
80 - 40	36	81	12	38	100,0	
80 - 50	30	81	12	50	100,0	
80 - 65	31	81	12	66	100,0	
100 - 50	40	100	15	50	121,0	
100 - 65	40	100	15	66	121,0	
100 - 80	42	100	15	81	121,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	E	Inschroefdraadstuk - DIN 11851 Male threaded outside - DIN 11851
10	40	14	3/8"	17	28x1/8"	
15	40	14	1/2"	24	34x1/8"	
20	42	14	3/4"	30	44x1/6"	
25	48	20	1"	41	52x1/6"	
32	48	20	1-1/4"	46	58x1/6"	
40	50	20	1-1/2"	50	65x1/6"	
50	50	20	2"	65	78x1/6"	
65	56	22	2-1/2"	80	95x1/6"	
80	56	25	3"	95	110x1/4"	
100	72	30	4"	117	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	E	Inschroefpuntstuk - DIN 11851 Liner threaded outside - DIN 11851
10	38	14	3/8"	14	22,5	
15	38	14	1/2"	19	28,5	
20	40	14	3/4"	27	36,5	
25	50	20	1"	30	44	
32	50	20	1-1/4"	36	50	
40	50	20	1-1/2"	44	56	
50	50	20	2"	55	68,5	
65	55	22	2-1/2"	70	86	
80	60	25	3"	88	100	
100	70	30	4"	110	121	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	E	Opschroefdraadstuk - DIN 11851 Male threaded inside - DIN 11851
10	30	14	3/8"	19	28x1/8"	
15	30	14	1/2"	24	34x1/8"	
20	30	14	3/4"	30	44x1/6"	
25	35	20	1"	41	52x1/6"	
32	35	20	1-1/4"	46	58x1/6"	
40	35	20	1-1/2"	55	65x1/6"	
50	35	20	2"	65	78x1/6"	
65	38	22	2-1/2"	80	95x1/6"	
80	43	25	3"	95	110x1/4"	
100	50	30	4"	117	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	Opschroefpuntstuk - DIN 11851 Liner threaded inside - DIN 11851
10	39	10	3/8"	19	
15	41	16	1/2"	24	
20	42	20	3/4"	30	
25	52	26	1"	41	
32	55	32	1-1/4"	46	
40	56	38	1-1/2"	55	
50	58	50	2"	65	
65	64	66	2-1/2"	80	
80	74	81	3"	95	
100	89	100	4"	117	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	D	E	Slangpilaardraadstuk - DIN 11851 / DIN 11854 Male hose fitting - DIN 11851 / DIN 11854
10	54	31	10	15	28x1/8"	
15	64	40	16	21	34x1/8"	
20	78	47	20	27	44x1/6"	
25	87	57	26	32	52x1/6"	
32	97	67	32	40	58x1/6"	
40	112	81	38	48	65x1/6"	
50	127	95	50	57	78x1/6"	
65	148	112	66	76	95x1/6"	
80	168	127	81	90	110x1/4"	
100	190	146	100	110	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	E	Slangpilaardraadstuk - uit buis Male hose fitting - from pipe
15	67	19,5	16	34x1/8"	
20	69	23	20	44x1/6"	
25	82	30	26	52x1/6"	
32	92	35,5	32	58x1/6"	
40	102	43	38	65x1/6"	
50	113	55	50	78x1/6"	
65	125	73	66	95x1/6"	
80	135	89	81	110x1/4"	
100	150	108	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	D	E	Slangpilaardraadstuk - NW=LW Male hose fitting - NW=LW
25	83	59	20	27	52x1/6"	
32	97	70	27,5	34	58x1/6"	
40	112	84	36	42,5	65x1/6"	
50	127	97	47	53	78x1/6"	
65	148	113	60	68	95x1/6"	
80	172	132	76	83	110x1/4"	
100	190	141	93	103	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	D	Slangpilaarpuntstuk - DIN 11851 / DIN 11854 Liner hose fitting - DIN 11851 / DIN 11854
10	50	31	10	15	
15	60	40	16	21	
20	72	47	20	27	
25	80	57	26	32	
32	90	67	32	40	
40	105	81	38	48	
50	120	95	50	57	
65	140	112	66	76	
80	160	127	81	90	
100	180	146	100	110	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	Slangpilaarpuntstuk - uit buis Liner hose fitting - from pipe
15	63	19,5	16	
20	63	23	20	
25	75	30	26	
32	85	35,5	32	
40	95	43	38	
50	106	55	50	
65	117	73	66	
80	127	89	81	
100	140	108	100	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 111163


DN	A	B	C	D	Slangpilaarpuntstuk - NW=LW Liner hose fitting - NW=LW
25	76	59	20	27	
32	90	70	27,5	34	
40	105	84	36	42,5	
50	120	97	47	53	
65	140	113	60	68	
80	164	132	76	83	
100	180	141	93	103	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	Koppelbocht 45° (draad - draad) - DIN 11851 Elbow with connection 45° (male - male) - DIN 11851
10	38,5	9	26	
15	44	15	35	
20	48,5	19	40	
25	59	25	50	
32	62,5	31	55	
40	66	37	60	
50	74,5	49	70	
65	83,5	66	80	
80	90,5	81	90	
100	102	100	100	
125	170	125	187,5	
150	202	150	225	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	Koppelbocht 45° (puntstuk wartel - draad) - DIN 11851 Elbow with connection 45° (liner - male) - DIN 11851
10	38,5	9	26	
15	44	15	35	
20	48,5	19	40	
25	59	25	50	
32	62,5	31	55	
40	66	37	60	
50	74,5	50	70	
65	83,5	66	80	
80	90,5	81	90	
100	102	100	100	
125	170	125	187,5	
150	202	150	225	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	Koppelbocht 45° (puntstuk wartel - puntstuk wartel) - DIN 11851 Elbow with connection 45° (liner - liner) - DIN 11851
10	38,5	9	26	
15	44	15	35	
20	48,5	19	40	
25	59	25	50	
32	62,5	31	55	
40	66	37	60	
50	74,5	49	70	
65	83,5	66	80	
80	90,5	81	90	
100	102	100	100	
125	170	125	187,5	
150	202	150	225	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	B	C	D	Koppelbocht 45° (draad - las) - DIN 11851 Elbow with connection 45° (male - weld) - DIN 11851
10	4	10	13	
15	4	16	19	
20	6	20	23	
25	7	26	29	
32	7	32	35	
40	7	38	41	
50	7	50	53	
65	8	66	70	
80	8	81	85	
100	10	100	104	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	C	D	Koppelbocht 45° (puntstuk - las) - DIN 11851 Elbow with connection 45° (male - weld) - DIN 11851
10	10	13	
15	16	19	
20	20	23	
25	26	29	
32	32	35	
40	38	41	
50	50	53	
65	66	70	
80	81	85	
100	100	104	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	E	Koppelbocht 90° (draad - las) - DIN 11851 Elbow with connection 90° (male - weld) - DIN 11851
10	43	26	9	26	28x1/8"	
15	52	35	15	35	34x1/8"	
20	59	40	19	40	44x1/6"	
25	72	50	25	50	52x1/6"	
32	77	55	31	55	58x1/6"	
40	82	60	37	60	65x1/6"	
50	93	70	49	70	78x1/6"	
65	105	80	66	80	95x1/6"	
80	115	90	81	90	110x1/4"	
100	130	100	100	100	130x1/4"	
125	223	187,5	125	187,5	160x1/4"	
150	265	225	150	225	190x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	E	Koppelbocht 90° (draad - draad) - DIN 11851 Elbow with connection 90° (male - male) - DIN 11851
10	43	9	26	28x1/8"	
15	52	15	35	34x1/8"	
20	59	19	40	44x1/6"	
25	72	25	50	52x1/6"	
32	77	31	55	58x1/6"	
40	82	37	60	65x1/6"	
50	93	49	70	78x1/6"	
65	105	66	80	95x1/6"	
80	115	81	90	110x1/4"	
100	130	100	100	130x1/4"	
125	223	125	187,5	160x1/4"	
150	265	150	225	190x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	E	Koppelbocht 90° (puntstuk W. - draad) - DIN 11851 Elbow with connection 90° (liner - male) - DIN 11851
10	43	39	9	26	28x1/8"	
15	52	48	15	35	34x1/8"	
20	59	53	19	40	44x1/6"	
25	72	65	25	50	52x1/6"	
32	77	70	31	55	58x1/6"	
40	82	75	37	60	65x1/6"	
50	93	86	49	70	78x1/6"	
65	105	97	66	80	95x1/6"	
80	115	107	81	90	110x1/4"	
100	130	120	100	100	130x1/4"	
125	223	211	125	187,5	160x1/4"	
150	265	252	150	225	190x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	E	Koppelbocht 90° (puntstuk W. - las) - DIN 11851 Elbow with connection 90° (liner - weld) - DIN 11851
10	39	26	9	26	
15	48	35	15	35	
20	53	40	19	40	
25	65	50	25	50	
32	70	55	31	55	
40	75	60	37	60	
50	86	70	49	70	
65	97	80	66	80	
80	107	90	81	90	
100	120	100	100	100	
125	211	187,5	125	187,5	
150	252	225	150	225	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	D	Koppelbocht 90° (puntstuk wartel - puntstuk wartel) - DIN 11851 Elbow with connection 90° (liner - liner) - DIN 11851
10	39	9	26	
15	48	15	35	
20	53	19	40	
25	65	25	50	
32	70	31	55	
40	75	37	60	
50	86	49	70	
65	97	66	80	
80	107	81	90	
100	120	100	100	
125	211	125	187,5	
150	252	150	225	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 16941


DN	A	B	C	Koppelbocht 180° (puntstuk wartel - puntstuk wartel) - DIN 11851 Elbow with connection 180° (liner - liner) - DIN 11851
10	52	9	39	
15	68	15	48	
20	76	19	53	
25	100	25	65	
32	110	31	70	
40	120	37	75	
50	140	49	86	
65	160	66	97	
80	180	81	107	
100	200	100	120	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	Koppelbocht 180° (draad - draad) - DIN 11851 Elbow with connection 180° (male - male) - DIN 11851
10	52	43	10	28x1/8"	
15	70	52	16	34x1/8"	
20	80	59	20	44x1/6"	
25	100	72	26	52x1/6"	
32	110	77	32	58x1/6"	
40	120	82	38	65x1/6"	
50	140	93	50	78x1/6"	
65	160	105	66	95x1/6"	
80	180	115	81	110x1/4"	
100	200	130	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	D	Koppelbocht 180° (draad - puntstuk wartel) - DIN 11851 Elbow with connection 180° (male - liner) - DIN 11851
10	52	39	10	28x1/8"	
15	70	48	16	34x1/8"	
20	80	53	20	44x1/6"	
25	100	65	26	52x1/6"	
32	110	70	32	58x1/6"	
40	120	75	38	65x1/6"	
50	140	86	50	78x1/6"	
65	160	97	66	95x1/6"	
80	180	107	81	110x1/4"	
100	200	120	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	Koppel T-stuk (draad - draad - draad) DIN 11851 Tee with connection (male - male - male) DIN 11851
10	43	10	28x1/8"	
15	52	16	34x1/8"	
20	59	20	44x1/6"	
25	72	26	52x1/6"	
32	77	32	58x1/6"	
40	82	38	65x1/6"	
50	93	50	78x1/6"	
65	105	66	95x1/6"	
80	115	81	110x1/4"	
100	130	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	E	Koppel T-stuk (draad - punt.wartel - punt.wartel) DIN 11851 Tee with connection (male - liner - liner) DIN 11851
10	43	39	10	28x1/8"	
15	52	48	16	34x1/8"	
20	59	53	20	44x1/6"	
25	72	65	26	52x1/6"	
32	77	70	32	58x1/6"	
40	82	75	38	65x1/6"	
50	93	86	50	78x1/6"	
65	105	97	66	95x1/6"	
80	115	107	81	110x1/4"	
100	130	120	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	Koppel T-stuk (punt.wartel - punt.wartel - punt.wartel) DIN 11851 Tee with connection (liner - liner - liner) DIN 11851
10	39	10	28x1/8"	
15	48	16	34x1/8"	
20	53	20	44x1/6"	
25	65	26	52x1/6"	
32	70	32	58x1/6"	
40	75	38	65x1/6"	
50	86	50	78x1/6"	
65	97	66	95x1/6"	
80	107	81	110x1/4"	
100	120	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	E	Koppel T-stuk (draad - punt.wartel - draad) DIN 11851 Tee with connection (male - liner - male) DIN 11851
10	43	39	10	28x1/8"	
15	52	48	16	34x1/8"	
20	59	53	20	44x1/6"	
25	72	65	26	52x1/6"	
32	77	70	32	58x1/6"	
40	82	75	38	65x1/6"	
50	93	86	50	78x1/6"	
65	105	97	66	95x1/6"	
80	115	107	81	110x1/4"	
100	130	120	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	E	Koppel T-stuk (draad - draad - punt.wartel) DIN 11851 Tee with connection (male - male - liner) DIN 11851
10	43	39	10	28x1/8"	
15	52	48	16	34x1/8"	
20	59	53	20	44x1/6"	
25	72	65	26	52x1/6"	
32	77	70	32	58x1/6"	
40	82	75	38	65x1/6"	
50	93	86	50	78x1/6"	
65	105	97	66	95x1/6"	
80	115	107	81	110x1/4"	
100	130	120	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	E	Koppel T-stuk enkelstromend (draad - draad - draad) DIN 11851 Tee bend with connection (male - male - male) DIN 11851
25	144	72	26	52x1/6"	
32	154	77	32	58x1/6"	
40	164	82	38	65x1/6"	
50	186	93	50	78x1/6"	
65	210	105	66	95x1/6"	
80	230	115	81	110x1/4"	
100	260	130	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	A	B	C	E	Koppel T-stuk dubbelstromend (draad - draad - draad) DIN 11851 Double Tee bend with connection (male - male - male) DIN 11851
25	144	72	26	52x1/6"	
32	154	77	32	58x1/6"	
40	164	82	38	65x1/6"	
50	186	93	50	78x1/6"	
65	210	105	66	95x1/6"	
80	230	115	81	110x1/4"	
100	260	130	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	C	D	Koppolverloopstuk (puntstuk wartel - puntstuk wartel) - DIN 11851 Reducer with connection (liner - liner) - DIN 11851
32-25	26	32	
40-25	26	38	
40-32	32	38	
50-32	32	50	
50-40	38	50	
65-40	38	66	
65-50	50	66	
80-50	50	81	
80-65	66	81	
100-65	66	100	
100-80	81	100	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	C	D	E	Koppolverloopstuk (puntstuk wartel - draad) - DIN 11851 Reducer with connection (liner - male) - DIN 11851
32-25	26	32	52x1/6"	
40-25	26	38	52x1/6"	
40-32	32	38	58x1/6"	
50-32	32	50	58x1/6"	
50-40	38	50	65x1/6"	
65-40	38	66	65x1/6"	
65-50	50	66	78x1/6"	
80-50	50	81	78x1/6"	
80-65	66	81	95x1/6"	
100-65	66	100	95x1/6"	
100-80	81	100	110x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941


DN	C	D	E	Koppolverloopstuk (draad - puntstuk wartel) - DIN 11851 Reducer with connection (male - liner) - DIN 11851
32-25	26	32	58x1/6"	
40-25	26	38	65x1/6"	
40-32	32	38	65x1/6"	
50-32	32	50	78x1/6"	
50-40	38	50	78x1/6"	
65-40	38	66	95x1/6"	
65-50	50	66	95x1/6"	
80-50	50	81	110x1/4"	
80-65	66	81	110x1/4"	
100-65	66	100	130x1/4"	
100-80	81	100	130x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 1084941

DN	C	D	E	Koppolverloopstuk (draad - draad) - DIN 11851 Reducer with connection (male - male) - DIN 11851
32-25	26	32	52x1/6"	
40-25	26	38	52x1/6"	
40-32	32	38	58x1/6"	
50-32	32	50	58x1/6"	
50-40	38	50	65x1/6"	
65-40	38	66	65x1/6"	
65-50	50	66	78x1/6"	
80-50	50	81	78x1/6"	
80-65	66	81	95x1/6"	
100-65	66	100	95x1/6"	
100-80	81	100	110x1/4"	

Alle maten in mm - All sizes in mm

Leverbaar in 304/304L (1.4301/1.4307) & 316L (1.4404) - Available in 304/304L (1.4301/1.4307) & 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request