

Art.-Nr. 12010

DN	A	B	C	WT	L	Tri-clamp lasferrule - BS 4825-3 Tri-clamp ferrule - BS 4825-3
1/2"	12,70	9,52	25,4	1,59	21,5	
3/4"	19,05	15,87	25,4	1,59	21,5	
1"	25,65	22,20	50,5	1,73	21,5	
1-1/2"	38,35	34,90	50,5	1,73	21,5	
2"	51,05	47,60	64,0	1,73	21,5	
2-1/2"	63,75	60,30	77,5	1,73	21,5	
3"	76,45	73,00	91,0	1,73	21,5	
3-1/2"	88,90	84,70	106,0	2,10	21,5	
4"	101,85	97,60	119,0	2,13	21,5	
4-1/2"	114,95	110,30	130,0	2,33	28,0	
5"	127,00	123,00	144,4	2,00	28,0	
5-1/2"	140,55	135,76	155,0	2,40	28,0	
6"	154,00	150,00	167,0	2,00	28,0	
6-5/8"	169,35	163,10	183,0	3,13	28,0	
8"	204,00	200,00	217,4	2,00	28,0	
8-5/8"	220,55	213,90	233,5	3,33	28,0	
10"	254,00	250,00	268,0	2,00	28,0	
10-5/8"	273,00	266,30	286,1	3,35	28,0	
12"	304,80	300,80	319,0	2,00	28,0	
12-5/8"	323,80	315,90	338,0	3,95	28,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12001

DN	A	B	C	WT	L	Tri-clamp lasferrule - DIN 32676 - series 2 Tri-clamp ferrule - DIN 32676 - series 2
10	13	10	34	1,5	18	
15	19	16	34	1,5	18	
20	23	20	34	1,5	18	
25	29	26	50,5	1,5	21,5	
32	35	32	50,5	1,5	21,5	
40	41	38	50,5	1,5	21,5	
50	53	50	64	1,5	21,5	
65	70	66	91	2	28	
80	85	81	106	2	28	
100	104	100	119	2	28	
125	129	125	155	2	28	
150	154	150	183	2	28	
200	204	200	233,5	2	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12001

DN	A	B	C	WT	L	Tri-clamp lasferrule - DIN 32676 - series 2 - N.S. Tri-clamp ferrule - DIN 32676 - series 2 - N.S.
125	129	125	144,4	2	28	
150	154	150	167	2	28	
200	204	200	217,4	2	28	
250	254	250	268	2	28	
300	304	300	319	2	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12001

DN	A	B	C	WT	L	Tri-clamp lasferrule - DIN 32676 - series 1 Tri-clamp ferrule - DIN 32676 - series 1
10	12	10	34	1	18	
15	18	16	34	1	18	
20	22	20	34	1	18	
25	28	26	50,5	1	21,5	
32	34	32	50,5	1	21,5	
40	40	38	50,5	1	21,5	
50	52	50	64	1	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12001

DN	A	B	C	WT	L	Tri-clamp lasferrule - DIN 32676 - series 3 Tri-clamp ferrule - DIN 32676 - series 3
10	14	10	34	2	18	
15	20	16	34	2	18	
20	24	20	34	2	18	
25	30	26	50,5	2	21,5	
32	36	32	50,5	2	21,5	
40	42	38	50,5	2	21,5	
50	54	50	64	2	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L-short	L-long	Tri-clamp lasferrule - ASME BPE Tri-clamp ferrule - ASME BPE
1/4"	6,35	4,57	25,4	0,89	28,5	44,5	
3/8"	9,52	7,74	25,4	0,89	28,5	44,5	
1/2"	12,7	9,40	25,4	1,65	28,5	44,5	
3/4"	19,05	15,75	25,4	1,65	28,5	44,5	
1"	25,40	22,10	50,5	1,65	28,5	44,5	
1-1/2"	38,10	34,80	50,5	1,65	28,5	44,5	
2"	50,80	47,50	64,0	1,65	28,5	57,2	
2-1/2"	63,50	60,20	77,5	1,65	28,5	57,2	
3"	76,20	72,90	91,0	1,65	28,5	57,2	
4"	101,60	97,38	119,0	2,11	28,5	57,2	
6"	152,40	146,86	167,0	2,77	28,5	76,2	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - SMS 3008 Tri-clamp ferrule - SMS 3008
3/4"	18,0	16,0	25,4	1,0	21,5	
1"	25,0	22,6	50,5	1,2	21,5	
1-1/2"	38,0	35,6	50,5	1,2	21,5	
2"	51,0	48,6	64,0	1,2	21,5	
2-1/2"	63,5	60,3	77,5	1,6	21,5	
3"	76,1	72,9	91,0	1,6	21,5	
3-1/2"	89,0	85,0	106,0	2,0	21,5	
4"	101,6	97,6	119,0	2,0	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - SMS 3017 Tri-clamp ferrule - SMS 3017
1"	25,6	22,6	50,5	1,5	21,5	
1-1/4"	33,7	30,7	50,5	1,5	21,5	
1-1/2"	38,6	35,6	50,5	1,5	21,5	
2"	51,6	48,6	64,0	1,5	21,5	
2-1/2"	64,1	60,3	77,5	1,9	21,5	
3"	76,7	72,9	91,0	1,9	21,5	
3-1/2"	89,8	84,9	106,0	2,45	21,5	
4"	102,5	97,6	119,0	2,45	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - SMS 3008 Tri-clamp ferrule - SMS 3008
3/4"	18,0	16,0	25,4	1,0	21,5	
1"	25,0	22,6	50,5	1,2	21,5	
1-1/2"	38,0	35,6	50,5	1,2	21,5	
2"	51,0	48,6	64,0	1,2	21,5	
2-1/2"	63,5	60,3	77,5	1,6	21,5	
3"	76,1	72,9	91,0	1,6	21,5	
3-1/2"	89,0	85,0	106,0	2,0	21,5	
4"	101,6	97,6	119,0	2,0	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

ISO (DN)	A	B	C	WT	L	Tri-clamp lasferrule - ISO 1127 series 1 Tri-clamp ferrule - ISO 1127 series 1
8	13,5	10,3	25,4	1,6	21,5	
10	17,2	14	25,4	1,6	21,5	
15	21,3	18,1	50,5	1,6	21,5	
20	26,9	22,9	50,5	2	21,5	
25	33,7	29,7	50,5	2	21,5	
32	42,4	38,4	50,5	2	21,5	
40	48,3	44,3	64	2	21,5	
50	60,3	56,3	77,5	2	21,5	
65	76,1	72,1	91	2	21,5	
80	88,9	84,9	106	2	21,5	
100	114,3	110,3	130	2	28	
125	139,7	135,7	155	2	28	
150	168,3	163,1	183	2,6	28	
200	219,1	213,9	233,5	2,6	28	
250	273,0	267,8	286,1	2,6	28	
300	323,9	318,7	338,5	2,6	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

ISO (DN)	A	B	C	WT	L	Tri-clamp lasferrule - ISO 1127 variations Tri-clamp ferrule - ISO 1127 variations
8	13,5	10,3	34	1,6	18	
8	13,5	10,3	50,5	1,6	21,5	
10	17,2	14	32	1,6	18	
10	17,2	14	50,5	1,6	21,5	
15	21,3	18,1	34	1,6	18	
20	26,9	23,7	50,5	1,6	21,5	
25	33,7	30,5	50,5	1,6	21,5	
25	33,7	31,3	50,5	1,2	21,5	
65	76,1	72,9	91	1,6	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - ISO 2037 series 1 Tri-clamp ferrule - ISO 2037 series 1
3/4"	20	17,6	50,5	1,2	21,5	
1"	25	22,6	50,5	1,2	21,5	
1-1/2"	38	35,6	50,5	1,2	21,5	
1-1/2"	40	37,6	50,5	1,2	21,5	
2"	51	48,6	64	1,2	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009


INCH	A	B	C	WT	L	Tri-clamp lasferrule - ISO 2037 series 2 Tri-clamp ferrule - ISO 2037 series 2
1"	25	21,8	50,5	1,6	21,5	
1-1/2"	38	34,8	50,5	1,6	21,5	
1-1/2"	40	36,8	50,5	1,6	21,5	
2"	51	47,8	64	1,6	21,5	
2-1/2"	63,5	60,3	77,5	1,6	21,5	
3"	70	66,8	91	1,6	21,5	
4"	101,6	97,8	119	2	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12010


DN	A	B	C	WT	L	Tri-clamp lasferrule - SCHEDULE 5 Tri-clamp ferrule - SCHEDULE 5
1/2"	21,34	18,04	50,5	1,65	21,5	
3/4"	26,67	23,37	50,5	1,65	21,5	
1"	33,4	30,10	50,5	1,65	21,5	
1-1/4"	42,16	38,86	50,5	1,65	21,5	
1-1/2"	48,26	44,96	64	1,65	21,5	
2"	60,32	57,02	77,5	1,65	21,5	
2-1/2"	73,03	68,81	91	2,11	21,5	
3"	88,9	84,68	106	2,11	21,5	
3-1/2"	101,6	97,38	119	2,11	21,5	
4"	114,3	110,08	130	2,11	28	
5"	141,3	135,76	155	2,77	28	
6"	168,28	162,74	183	2,77	28	
8"	219,08	213,54	233,5	2,77	28	
10"	273,05	266,25	286,1	3,4	28	
12"	323,85	315,93	338	3,96	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12010

DN	A	B	C	WT	L	Tri-clamp lasferrule - SCHEDULE 10 Tri-clamp ferrule - SCHEDULE 10
1/2"	21,34	17,12	50,5	2,11	21,5	
3/4"	26,67	22,45	50,5	2,11	21,5	
1"	33,4	27,86	50,5	2,77	21,5	
1-1/4"	42,16	36,62	50,5	2,77	21,5	
1-1/2"	48,26	42,72	64	2,77	21,5	
2"	60,32	54,79	77,5	2,77	21,5	
2-1/2"	73,03	66,93	91	3,05	21,5	
3"	88,9	82,82	106	3,05	21,5	
3-1/2"	101,6	95,50	119	3,05	21,5	
4"	114,3	108,20	130	3,05	28	
5"	141,3	134,50	155	3,40	28	
6"	168,28	161,47	183	3,41	28	
8"	219,08	211,56	233,5	3,76	28	
10"	273,05	264,67	286,1	4,19	28	
12"	323,85	314,71	338	4,57	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12010

DN	A	B	C	WT	L	Tri-clamp lasferrule - SCHEDULE 40 Tri-clamp ferrule - SCHEDULE 40
1/2"	21,34	15,80	50,5	2,77	21,5	
3/4"	26,67	20,93	50,5	2,87	21,5	
1"	33,4	26,64	50,5	3,38	21,5	
1-1/4"	42,16	35,04	50,5	3,56	21,5	
1-1/2"	48,26	40,88	64	3,69	21,5	
2"	60,32	52,51	77,5	3,91	21,5	
2-1/2"	73,03	62,71	91	5,16	21,5	
3"	88,9	77,92	106	5,49	21,5	
3-1/2"	101,6	90,12	119	5,74	21,5	
4"	114,3	102,26	130	6,02	28	
5"	141,3	128,20	155	6,55	28	
6"	168,28	154,06	183	7,11	28	
8"	219,08	202,72	233,5	8,18	28	
10"	273,05	254,51	286,1	9,27	28	
12"	323,85	304,79	338	9,53	28	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

DN	A	B	C	WT	L	Tri-clamp mini ferrule - metrisch Tri-clamp mini ferrule - metric
6 x 4	6	4	25,4	1	21,5	
8 x 6	8	6	25,4	1	21,5	
10 x 8	10	8	25,4	1	21,5	
12 x 10	12	10	25,4	1	21,5	
14 x 12	14	12	25,4	1	21,5	
16 x 14	16	14	25,4	1	21,5	
18 x 16	18	16	25,4	1	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

DN	A	B	C	WT	L	Tri-clamp mini ferrule - imperial Tri-clamp mini ferrule - imperial
1/4"	6,35	4,57	25,4	0,89	21,5	
3/8"	9,53	7,71	25,4	0,91	21,5	
1/2"	12,7	9,52	25,4	1,59	21,5	
3/4"	19,05	15,87	25,4	1,59	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - SWG Tri-clamp ferrule - SWG
1"	25,4	22,1	50,5	1,65	21,5	
1-1/2"	38,1	34,8	50,5	1,65	21,5	
2"	50,8	47,5	64	1,65	21,5	
2-1/2"	63,5	60,2	77,5	1,65	21,5	
3"	76,2	72,9	91	1,65	21,5	
4"	101,6	97,4	119	2,10	21,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

INCH	A	B	C	WT	L	Tri-clamp lasferrule - 14 MPW TANK Tri-clamp ferrule - 14 MPW TANK
1"	29,46	22,10	50,5	3,68	41,3	
1-1/2"	42,57	34,10	50,5	3,89	41,3	
2"	55,68	47,50	64,0	4,09	44,5	
2-1/2"	68,78	60,20	63,5	4,29	44,5	
3"	81,89	72,90	91,0	4,50	46,0	
4"	108,10	97,38	119,0	5,36	54,0	
6"	157,28	146,25	167,0	5,52	63,5	
8"	208,8	197,05	217,4	5,52	63,5	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12021

INCH	A	C	W	Tri-clamp blindferrule - INCH Tri-clamp blank cap - INCH
1/2" 3/4"	12,5	25,4	5,6	
1" 1-1/2"	24,5	50,5	7,0	
2"	39,0	64,0	7,0	
2-1/2"	53,5	77,5	7,0	
3"	66,5	91,0	7,0	
3-1/2"	81,0	106,0	7,0	
4"	82,0	119,0	9,0	
4-1/2"	95,0	130,0	9,0	
5"	106,0	144,4	10,0	
5-1/2"	130,0	155,0	10,0	
6"	140,0	167,0	10,0	
6-5/8"	158,0	183,0	10,0	
8"	190,0	217,4	10,0	
8-5/8"	206,0	233,5	10,0	
10"	241,0	268,0	10,0	
10-5/8"	261,0	286,1	10,0	
12"	311,0	319,0	10,0	
12-5/8"	329,0	338,5	10,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten op aanvraag - Other grades on request

Art.-Nr. 12021

DIN	A	C	W	Tri-clamp blindferrule - DIN Tri-clamp blank cap - DIN	
DN 10 15 20	15,4	34,0	6		
25	24,5	50,5	7		
50	39,0	64,0	7		
65	66,5	91,0	7		
80	81,0	106,0	7		
100	82,0	119,0	9		
125	130,0	155,0	10		
150	158,0	183,0	10		
200	206,0	233,5	10		
250	241,0	268,0	10		
300	311,0	319,0	10		

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten op aanvraag - Other grades on request

Art.-Nr. 12009

INCH	Thread	C	D	L	Tri-clamp - BSP inschroef ferrule - imperial Tri-clamp - BSP threaded male adaptor - imperial
1/2"	1/8"	25,4	10,0	30	
	1/4"	25,4	10,0	30	
	3/8"	25,4	10,0	30	
	1/2"	25,4	10,0	32	
	3/4"	25,4	10,0	35	
3/4"	1/8"	25,4	16,0	30	
	1/4"	25,4	16,0	30	
	3/8"	25,4	16,0	30	
	1/2"	25,4	16,0	32	
	3/4"	25,4	16,0	35	
1"	1/8"	50,5	22,0	30	
	1/4"	50,5	22,0	30	
	3/8"	50,5	22,0	30	
	1/2"	50,5	22,0	35	
	3/4"	50,5	22,0	35	
	1"	50,5	22,0	35	
1-1/2"	1/8"	50,5	35,0	35	
	1/4"	50,5	35,0	35	
	3/8"	50,5	35,0	35	
	1/2"	50,5	35,0	35	
	3/4"	50,5	35,0	35	
	1"	64,0	35,0	35	
2"	1/2"	64,0	47,6	40	
	3/4"	64,0	47,6	40	
	1"	64,0	47,6	40	
	1-1/2"	64,0	47,6	40	
	2"	64,0	47,6	40	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

DN	Thread	C	D	L	Tri-clamp - BSP inschroef ferrule - metrisch Tri-clamp - BSP threaded male adaptor - metric
10	1/4"	34	10,0	30	
	3/8"	34	10,0	30	
	1/2"	34	10,0	30	
	3/4"	34	10,0	30	
15	1/4"	34	16,0	30	
	3/8"	34	16,0	30	
	1/2"	34	16,0	30	
	3/4"	34	16,0	30	
20	1/4"	34	20,0	30	
	3/8"	34	20,0	30	
	1/2"	34	20,0	30	
	3/4"	34	20,0	30	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12050

Ferrule	Thread	C	D	L	Tri-clamp - BSP opschroef ferrule - imperial Tri-clamp - BSP threaded female adaptor - imperial
1/2"	1/8"	25,4	10,0	25	
	1/4"	25,4	10,0	25	
	3/8"	25,4	10,0	25	
	1/2"	25,4	10,0	30	
	3/4"	25,4	10,0	30	
3/4"	1/8"	25,4	16,0	25	
	1/4"	25,4	16,0	25	
	3/8"	25,4	16,0	25	
	1/2"	25,4	16,0	30	
	3/4"	25,4	16,0	30	
1"	1/8"	50,5	22,0	25	
	1/4"	50,5	22,0	25	
	3/8"	50,5	22,0	25	
	1/2"	50,5	22,0	25	
	3/4"	50,5	22,0	25	
	1"	50,5	22,0	25	
1-1/2"	1/8"	50,5	35,0	25	
	1/4"	50,5	35,0	25	
	3/8"	50,5	35,0	25	
	1/2"	50,5	35,0	25	
	3/4"	50,5	35,0	25	
	1"	50,5	35,0	25	
2"	1/2"	64,0	47,6	25	
	3/4"	64,0	47,6	25	
	1"	64,0	47,6	25	
	1-1/2"	64,0	47,6	25	
	2"	64,0	47,6	25	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12050

Ferrule	Thread	C	D	L	Tri-clamp - BSP opschroef ferrule - metrisch Tri-clamp - BSP threaded female adaptor - metric
DN10	1/4"	34	10,0	25	
	3/8"	34	10,0	25	
	1/2"	34	10,0	30	
	3/4"	34	10,0	25	
DN15	1/4"	34	16,0	25	
	3/8"	34	16,0	25	
	1/2"	34	16,0	30	
	3/4"	34	16,0	30	
DN20	1/4"	34	20,0	25	
	3/8"	34	20,0	25	
	1/2"	34	20,0	30	
	3/4"	34	20,0	30	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12063

Ferrule	HOSE	A	B	C	D	L	Tri-clamp slangpilaar - imperial Tri-clamp hosetail - imperial
1/2"	1/4"	6,4	3,4	25,4	10,0	32	
	3/8"	9,5	6,5	25,4	10,0	32	
	1/2"	12,7	9,7	25,4	10,0	32	
	3/4"	19,0	16,0	25,4	10,0	32	
3/4"	1/4"	6,4	3,4	25,4	16,0	32	
	3/8"	9,5	6,5	25,4	16,0	32	
	1/2"	12,7	9,7	25,4	16,0	32	
	3/4"	19,0	16,0	25,4	16,0	32	
1"	1/4"	6,4	3,4	50,5	22,5	40	
	3/8"	9,5	6,5	50,5	22,5	40	
	1/2"	12,7	9,7	50,5	22,5	40	
	3/4"	19	16,0	50,5	22,5	40	
	1"	26	23,0	50,5	22,5	40	
1-1/2"	1/4"	6,4	3,4	50,5	22,5	40	
	3/8"	9,5	6,5	50,5	22,5	40	
	1/2"	12,7	9,7	50,5	35,0	40	
	3/4"	19	16,0	50,5	35,0	40	
	1"	26	23,0	50,5	35,0	40	
	1-1/2"	38,1	35,0	50,5	35,0	40	
2"	1/2"	12,7	9,7	64,0	48,0	60	
	3/4"	19	16,0	64,0	48,0	60	
	1"	26	23,0	64,0	48,0	60	
	1-1/2"	38,1	35,0	64,0	48,0	60	
	2"	50,8	47,0	64,0	48,0	60	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12063

Ferrule	HOSE	A	B	C	D	L	Tri-clamp slangpilaar - metrisch Tri-clamp hosetail - metric			
DN10	1/4"	6,4	3,4	34,0	10,0	40				
	3/8"	9,5	6,5	34,0	10,0	40				
	1/2"	12,7	9,7	34,0	10,0	40				
	3/4"	19,0	16,0	34,0	10,0	40				
DN15	1/4"	6,4	3,4	34,0	16,0	4				
	3/8"	9,5	6,5	34,0	16,0	40				
	1/2"	12,7	9,7	34,0	16,0	40				
	3/4"	19,0	16,0	34,0	16,0	40				
DN20	1/4"	6,4	3,4	34,0	20,0	40				
	3/8"	9,5	6,5	34,0	20,0	40				
	1/2"	12,7	9,7	34,0	20,0	40				
	3/4"	19,0	16,0	34,0	20,0	40				
1/2"	8 x 5	8,0	5,0	25,4	10,0	32				
	14 x 11	14,0	11,0	25,4	10,0	40				
	16 x 13	16,0	13,0	25,4	10,0	40				
3/4"	8 x 5	8,0	5,0	25,4	16,0	32				
	14 x 11	14,0	11,0	25,4	16,0	40				
	16 x 13	16,0	13,0	25,4	16,0	40				
1"	8 x 5	8,0	5,0	50,5	22,5	40				
	14 x 11	14,0	11,0	50,5	22,5	40				
	16 x 13	16,0	13,0	50,5	22,5	40				
	22 x 19	22,0	19,0	50,5	22,5	40				
1-1/2"	8 x 5	8,0	5,0	50,5	35,0	40				
	14 x 11	14,0	11,0	50,5	35,0	40				
	16 x 13	16,0	13,0	50,5	35,0	40				
	22 x 19	22,0	19,0	50,5	35,0	40				

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12056

Ferrule	Ferrule	A	B	C	D	L	Tri-clamp verloop concentrisch Tri-clamp reducer concentric
3/4"	1/2"	25,4	15,9	25,4	9,5	40,0	
1"	1/2"	50,5	22,2	25,4	9,5	50,0	
	3/4"	50,5	22,2	25,4	15,8	50,0	
1-1/2"	1/2"	50,5	34,9	25,4	9,5	50,0	
	3/4"	50,5	34,9	25,4	15,8	50,0	
	1"	50,5	34,9	50,5	22,2	50,0	
2"	1/2"	64,0	47,6	25,4	9,5	50,0	
	3/4"	64,0	47,6	25,4	9,5	50,0	
	1"	64,0	47,6	50,5	22,2	50,0	
	1-1/2"	64,0	47,6	50,5	34,9	50,0	
2-1/2"	1/2"	77,5	60,3	25,4	9,5	60,0	
	2/3"	77,5	60,3	25,4	15,8	60,0	
	1"	77,5	60,3	50,5	22,2	60,0	
	1-1/2"	77,5	60,3	50,5	34,9	60,0	
	2"	77,5	60,3	64,0	47,6	60,0	
3"	1/2"	91,0	73,0	25,4	9,5	60,0	
	3/4"	91,0	73,0	25,4	15,8	60,0	
	1"	91,0	73,0	50,5	22,2	60,0	
	1-1/2"	91,0	73,0	50,5	34,9	60,0	
	2"	91,0	73,0	64,0	47,6	60,0	
	2-1/2"	91,0	73,0	77,5	60,3	60,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12056

Ferrule	Ferrule	A	B	C	D	L	Tri-clamp verloop excentrisch Tri-clamp reducer eccentric
3/4"	1/2"	25,4	15,9	25,4	9,5	50,8	
1"	1/2"	50,5	22,2	25,4	9,5	63,5	
	3/4"	50,5	22,2	25,4	15,8	50,8	
1-1/2"	1/2"	50,5	34,9	25,4	9,5	88,9	
	3/4"	50,5	34,9	25,4	15,8	76,2	
	1"	50,5	34,9	50,5	22,2	76,2	
2"	1/2"	64,0	47,6	25,4	9,5	139,7	
	3/4"	64,0	47,6	25,4	9,5	127,0	
	1"	64,0	47,6	50,5	22,2	127,0	
	1-1/2"	64,0	47,6	50,5	34,9	76,2	
2-1/2"	1/2"	77,5	60,3	25,4	9,5	190,5	
	2/3"	77,5	60,3	25,4	15,8	177,8	
	1"	77,5	60,3	50,5	22,2	177,8	
	1-1/2"	77,5	60,3	50,5	34,9	177,8	
	2"	77,5	60,3	64,0	47,6	76,2	
3"	1"	91,0	73,0	50,5	22,2	228,6	
	1-1/2"	91,0	73,0	50,5	34,9	177,8	
	2"	91,0	73,0	64,0	47,6	127,0	
	2-1/2"	91,0	73,0	77,5	60,3	76,2	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12090

INCH	A x W	B	C	L	Pressure	Tri-clamp kijkglas type SVFI Tri-clamp sight glass type SVFI
3/8"	16 x 8	7,7	25,4	65	22,0	
1/2"	20 x 9	9,5	25,4	76	20,0	
3/4"	27 x 11	15,8	25,4	87	17,5	
1"	30 x 16	22,1	50,5	91	8,5	
1-1/2"	40 x 24	34,8	50,5	105	8,0	
2"	48 x 34	47,5	64,0	120	7,0	
2-1/2"	55 x 40	60,3	77,5	151	6,5	
3"	90 x 50	72,9	91,0	175	6,5	
4"	110 x 60	97,4	119,0	200	4,0	
6"	150 x 80	150,5	167,0	250	3,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12091

INCH	A	B	C	D	L	Pressure	Tri-clamp kijkglas type FVFI Tri-clamp sight glass type FVFI
3/8"	27,5	7,7	25,4	50	90	22,0	
1/2"	27,5	9,5	25,4	50	90	20,0	
3/4"	27,5	15,8	25,4	50	90	17,5	
1"	33,0	22,1	50,5	70	105	8,5	
1-1/2"	39,0	34,8	50,5	80	105	8,0	
2"	60,0	47,5	64,0	100	140	7,0	
2-1/2"	86,0	60,3	77,5	125	151	6,5	
3"	90,0	72,9	91,0	127	181	6,5	
4"	100,0	97,4	119,0	156	206	4,0	
6"	150,0	150,5	167,0	214	254	3,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12046

INCH	A	B	C	D	Tri-clamp bocht 90° Tri-clamp elbow 90°
1/4"	6,35	4,57	25,4	41,2	
3/8"	9,53	7,75	25,4	41,2	
1/2"	12,70	9,40	25,4	41,2	
3/4"	19,05	15,75	25,4	41,2	
1"	25,40	22,10	50,5	50,8	
1-1/2"	38,10	34,80	50,5	69,9	
2"	50,80	47,50	64,0	88,9	
2-1/2"	63,50	60,20	77,5	108,0	
3"	76,20	72,90	91,0	127,0	
4"	101,60	97,38	119,0	168,2	
6"	152,40	146,86	167,0	266,7	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12043

INCH	A	R	Tri-clamp bocht 45° Tri-clamp elbow 45°
1/2"	25,4	28,6	
3/4"	25,4	28,6	
1"	28,6	38,1	
1-1/2"	36,6	57,2	
2"	44,5	76,2	
2-1/2"	52,3	95,3	
3"	60,3	114,3	
4"	79,4	152,4	
6"	133,4	228,6	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12039

INCH	A	B	Tri-clamp T-stuk Tri-clamp Tee
1/2"	57,2	114,3	
3/4"	60,3	120,6	
1"	66,7	133,4	
1-1/2"	73,0	146,0	
2"	85,7	171,5	
2-1/2"	92,1	184,2	
3"	98,4	196,9	
4"	120,7	241,3	
6"	181,0	362,0	

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12041

INCH	A	B	Tri-clamp kruisstuk Tri-clamp cross piece	
1/2"	57,2	114,3		
3/4"	60,3	120,6		
1"	66,7	133,4		
1-1/2"	73,0	146,0		
2"	85,7	171,4		
2-1/2"	92,1	184,2		
3"	98,4	196,8		
4"	120,6	241,2		
6"	181,0	362,0		
8"	174,6	349,3		
10"	212,7	425,5		

Alle maten in mm - All sizes in mm

Leverbaar in 316L (1.4404) - Available in 316L (1.4404)

Andere kwaliteiten en afmetingen op aanvraag - Other grades and sizes on request

Art.-Nr. 12009

SIZE INCH	A	B	C	W	Tri-clamp Klemband - 1 scharnierpunt Tri-clamp, clamp - single pin
1/2" 3/4"	25,4	63,0	60,0	17,0	
DIN 10 15 20	34,0	73,0	69,0	17,0	
1" - 1-1/2"	50,5	78,0	85,0	17,0	
2"	64,0	82,0	99,0	17,0	
2-1/2"	77,5	89,0	112,0	17,0	
3"	91,0	96,0	126,0	17,0	
3-1/2"	106,0	103,0	140,0	17,0	
4"	119,0	110,0	154,0	17,0	
4-1/2"	130,0	115,0	165,0	17,0	
6"	167,0	134,0	216,0	25,0	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12032

SIZE INCH	A	B	C	W	Tri-clamp Klemband - 2 scharnierpunten Tri-clamp, clamp - double pin
1/2" 3/4"	25,4	63	75	17	
1" 1-1/2"	50,5	77	102	17	
2"	64	93	123	17	
2-1/2"	77,5	100	140	17	
3"	91	105	150	17	
3-1/2"	106	110	165	17	
4"	119	119	185	17	
4-1/2"	130	119	191	17	
5"	144	131	215	19	
5-1/2"	155	155	252	24	
6"	167	156	262	24	
6-5/8"	183	164	280	24	
8"	217	184	325	24	
8-5/8"	233	185	333	24	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12032

DIN	A	B	C	W	Tri-clamp Klemband - 2 scharnierpunten (DIN) Tri-clamp, clamp - double pin (DIN)
10 15 20	34	67	85	17	
25	50,5	88	109	17	
50	64	93	123	17	
65	91	105	150	17	
80	106	110	165	17	
100	119	119	185	17	
125	155	155	252	24	
150	183	164	280	24	
200	233	185	333	24	
250*	268	213	382	24	
300*	319	242	458	24	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

* = alleen leverbaar met 2 vleugelmoeren - Double bolt only

Art.-Nr. 12009

INCH	A	B	C	W	Tri-clamp Klemband - dubbele vleugelmoer Tri-clamp, clamp - double wing nut
5-1/2"	155	155	265	24	
6"	167	156	277	24	
6-5/8"	183	164	297	24	
8"	217	184	332	24	
8-5/8"	233	185	353	24	
10"	268	205	382	24	
10-5/8"	286	213	405	24	
12"	319	242	458	24	
12-5/8"	338	243	463	24	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12009

SIZE INCH	A	B	C	W	Tri-clamp Klemband - dubbele moer Tri-clamp, clamp - double nut
1/2" 3/4"	25,4	34,0	65	16	
DN 10 15 20	34,0	39,0	74	18	
1" - 1-1/2"	50,5	60,0	103	26	
2"	64,0	67,0	113	26	
2-1/2"	77,5	75,0	128	26	
3"	91,0	80,0	137	26	
3-1/2"	106,0	88,0	150	26	
4"	119,0	93,0	165	26	
4-1/2"	130,0	97,0	174	26	
6"	167,0	132,0	240	26	
6-5/8"	183,0	142,0	260	26	
8-5/8"	233,0	168,0	318	26	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12009

SIZE INCH	A	B	C	E	Tri-clamp Klemband - ASME Tri-clamp, clamp - ASME
1" 1-1/2"	50,5	85	145	80	
2"	64	97	163	94	
3"	91	115	203	124	
4"	119	135	233	160	
6"	167	160	281	206	
6-5/8"	183	170	300	222	
8"	217	182	333	258	
10"	268	210	385	308	
12"	319	235	433	358	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12036

INCH	A	B	C	W	Tri-clamp veiligheids klemband - type vleugelmoer Tri-clamp safety clamp - type wing nut
1/2" 3/4"	25,4	63	75	17	
DN 10 15 20	34,0	67	85	17	
1" 1-1/2"	50,5	77	102	17	
2"	64,0	93	123	17	
2-1/2"	77,5	100	140	17	
3"	91,0	105	150	17	
3-1/2"	106,0	110	165	17	
4"	119,0	119	185	17	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12036

INCH	A	B	C	W	Tri-clamp veiligheids klemband - type zeskantmoer Tri-clamp safety clamp - type hexagon nut
1/2" 3/4"	25,4	53	65	17	
DN 10 15 20	34,0	57	75	17	
1" 1-1/2"	50,5	72	92	17	
2"	64,0	83	113	17	
2-1/2"	77,5	90	130	17	
3"	91,0	95	140	17	
3-1/2"	106,0	100	155	17	
4"	119,0	109	175	17	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12036

SIZE	A	B	C	W	Tri-clamp veiligheids klemband - type veiligheidsmoer Tri-clamp safety clamp - type safety nut
1/2" 3/4"	25,4	56	70	23	
DN 10 15 20	34,0	60	80	23	
1" 1-1/2"	50,5	81	104	23	
2"	64,0	86	117	23	
2-1/2"	77,5	93	134	23	
3"	91,0	98	144	23	
3-1/2"	106,0	103	159	23	
4"	119,0	112	179	23	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12036

SIZE	A	B	C	W	Tri-clamp veiligheids klemband - type slot Tri-clamp safety clamp - type lock
1/2" 3/4"	25,4	61	73	23	
DN 10 15 20	34,0	65	83	23	
1" 1-1/2"	50,5	86	107	23	
2"	64,0	91	121	23	
2-1/2"	77,5	98	138	23	
3"	91,0	103	148	23	
3-1/2"	106,0	108	163	23	
4"	119,0	117	183	23	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request

Art.-Nr. 12036

SIZE	A	B	C	W	Tri-clamp veiligheids klemband - type 3 segment Tri-clamp safety clamp - type 3 segment
1" 1-1/2"	50,5	76,5	81,7	19,0	
2"	64,0	82,0	93,5	19,0	
2-1/2"	77,5	87,0	109,0	19,5	
3"	91,0	96,0	126,5	19,5	
4"	119,0	124,0	150,0	19,5	

Alle maten in mm - All sizes in mm

Leverbaar in 304 & 316 - Available in 304 & 316

Andere uitvoeringen op aanvraag - Other types on request